

Glass DC Nebulizers

SeaSpray

400µL/min uptake A13-1-USS04

MicroMist

400µL/min uptake A13-1-UM04

Conikal

1mL/min uptake A13-1-UC1



Quartz DC Nebulizers

SeaSpray

1mL/min uptake A13-1-QSS1



DC Nebulizers for HF

DuraMist

400µL/min uptake A13-1-DM04



OpalMist

400µL/min uptake A13-1-PFA04



IsoMist XR

Programmable Temperature Cyclonic Spray Chamber

IsoMist XR Kit KT-1103-XR

Comprises:

Glass Twister Spray Chamber 21-809-3186

Assembly (ROL) 20-809-5176

Mount 21-809-3765

Make-up Gas Adaptor 21-809-4024

Metal Ball Joint Clip JC-13

UniFit Connector (PKT. 3) UFT-2-86



Peltier Controlled Cyclonic Spray Chambers

For Agilent 7800

Glass Spray Chamber KT-1206

Quartz Spray Chamber KT-1206Q

PFA Spray Chamber KT-1206P



For Agilent 7850

Glass Spray Chamber KT-1116

Quartz Spray Chamber KT-1116Q

PFA Spray Chamber KT-1116P



Spray Chambers

High Efficiency Sample Introduction System

HE-SIS for Agilent ICP-MS KT-1155



*Twister

20mL Cyclonic with Aux. 20-809-2574HE

*Requires adaptor KT-1104.



Spray Chambers for HF

*Tracey PFA44

44ml Cyclonic with Aux. 20-809-2578

Spray Chamber Adaptor KT-1104


*Requires adaptor KT-1104.



Torches

Quartz Torches

| | |
|---------------------|-------------|
| with 1.0mm Injector | 30-807-0558 |
| with 1.5mm Injector | 30-807-0557 |
| with 2.0mm Injector | 30-807-3608 |
| with 2.5mm Injector | 30-807-0556 |



Torch Options

| | |
|---|-------------|
| Quartz Torch Bonnet | 31-808-2577 |
| Quartz Connector with Dilution Port | 31-808-3217 |
| Quartz Connector with 45deg Dilution Port | 31-808-3280 |
| Straight Quartz Connector | 31-808-3288 |
| Clamp (PKT 2) | 70-803-0846 |



Semi-Demountable Torch

| | |
|----------------------------|-------------|
| with 2.4mm Quartz Injector | 30-808-3853 |
|----------------------------|-------------|



Torch Options

| | |
|-----------------------------------|-------------|
| Semi-Demountable Torch body | 31-808-3857 |
| 1.0mm Tapered Quartz Injector | 31-808-4172 |
| 1.5mm Tapered Quartz Injector | 31-808-4173 |
| 2.4mm Tapered Quartz Injector | 31-808-4168 |
| 1.0 mm Tapered Alumina Injector | 31-808-4169 |
| 1.5 mm Tapered Alumina Injector | 31-808-4170 |
| 2.4mm Tapered Alumina Injector | 31-808-3855 |
| 2.4mm Sapphire Capillary Injector | 31-808-4159 |
| PEEK Injector Adaptor | 31-808-4478 |



| | |
|--|----------|
| Viton O-rings for FDT/SDT ball joints (PKT 10) | 70-V-011 |
|--|----------|



RF Coils

| | |
|--------|--------------|
| Copper | 70-900-7800C |
|--------|--------------|



| | |
|--------|--------------|
| Silver | 70-900-7800S |
|--------|--------------|



| | |
|------|--------------|
| Gold | 70-900-7800G |
|------|--------------|



| | |
|--------------------------|--------------|
| RF Coil Installation Kit | 70-900-7500T |
|--------------------------|--------------|



Cones

Sampler Cones

| | |
|----------------|-----------|
| Nickel Sampler | AT7701-Ni |
|----------------|-----------|




| | |
|--|--------------|
| Nickel Sampler with Nickel plated base | AT7701-Ni/Ni |
|--|--------------|



| | |
|-------------------|-----------|
| Aluminium Sampler | AT7701-Al |
|-------------------|-----------|



| | |
|------------------|-----------|
| Platinum Sampler | AT7706-Pt |
|------------------|-----------|



| | |
|---------------------------------|------------|
| Platinum Sampler (18 mm Insert) | AT7706A-Pt |
|---------------------------------|------------|



| | |
|--|---------------|
| Platinum Sampler with Nickel plated base | AT7706-Pt/NiP |
|--|---------------|

Cones

(continued)

Sampler Cones (continued)

| | |
|--|----------------|
| Platinum Sampler with solid Nickel base | AT7706-Pt/Ni |
| Platinum Sampler (15mm insert) with Nickel base | AT7706B-Pt/Ni |
| Platinum Sampler with Nickel plated base (Extended Life) | AT7706L-Pt/NiP |



Skimmer Cones

| | |
|------------------------------|------------|
| Nickel Skimmer for x-lens | AT7702X-Ni |
| Aluminium Skimmer for x-lens | AT7702X-Al |



| | |
|-----------------------------|------------|
| Platinum Skimmer for x-lens | AT7708X-Pt |
|-----------------------------|------------|



| | |
|--|---------------|
| Platinum Skimmer with Nickel base for x-lens | AT7708X-Pt/Ni |
|--|---------------|



Cone Options

| | |
|---------------------------|-------------|
| Skimmer Cone Guard | 70-803-1008 |
| Long Life Pt Shield Plate | AT5004 |
| Graphite Gasket (PKT 3) | AT7703 |
| Retaining Ring | AT7704 |



Common Accessories

Elegra Argon Humidifier

| | |
|------------------------------|-------------|
| Elegra Dual Argon Humidifier | 70-803-1273 |
| Elegra Stand | 70-803-1581 |



Guardian In-Line Filters

| | |
|---|-------------|
| Guardian DC in-line non-return gas filter | 70-803-1942 |
| Guardian in-line sample filter | 70-803-1108 |
| Eluo Adaptor for Inline Filter | 70-803-1160 |




Common Accessories

(continued)

Trident Internal Standard Kits

| | |
|-------------------------|-------------|
| Trident CT Standard Kit | 60-703-1179 |
| Standard Kit for HF | 60-808-1150 |



Magnifier Inspection Tool 70-803-1923



Autosampler Probes (See page 22-23 for complete list of probes)

For Agilent I-AS

| | |
|--|-------------|
| PTFE Encapsulated Carbon Fibre Probe 0.25mm ID | 60-703-1010 |
| PTFE Encapsulated Carbon Fibre Probe 0.3mm ID | 60-703-1009 |



For Cetac ASX-200/500/800 Series

| | |
|--|--------------|
| Guardian Probe 0.75mm | |
| Probe Connecting Line (Red) | 70-803-1803 |
| Polyimide sheathed Autosampler Probe 0.5mm ID | 60-808-1186L |
| PTFE Encapsulated Carbon Fibre Probe 0.5mm ID | 70-803-0784 |
| PTFE Encapsulated Carbon Fibre Probe 0.75mm ID | 70-803-1443 |
| PTFE Encapsulated Carbon Fibre Probe 1.0mm ID | 70-803-0793 |



For SPS 3/SPS 4

| | |
|--|-------------|
| Guardian Probe 0.75mm | |
| Probe Connecting Line (Red) | 70-803-1957 |
| PTFE Encapsulated Carbon Fibre Probe 0.75mm ID | 70-803-0908 |
| PTFE Encapsulated Carbon Fibre Probe 1.0mm ID | 70-803-0853 |

